INDEX

Booby, Blue-footed, 176
Brown, 19, 58, 61, 63, 123
Masked, 15, 19, 63
Nazca, 15, 16, 19, 36, 37, 39
Red-footed, 63, 123
Botaurus lentiginosus, 63
Brachyramphus brevirostris, 161
marmoratus, 24, 71, 128, 157–163
perdix, 24, 128, 157–168
Brant, 64
Branta bernicla, 64
canadensis, 64, 138, 142
ruficollis, 123
Bronzewing, Common, 123
Browning, M. Ralph, The generic distinction of pied woodpeckers, 97–107
Bubo virginianus, 72, 149, 151, 152, 153, 154
Bubulcus ibis, 64, 138, 142
Bucephala albeola, 66, 138, 145
clangula, 66, 88, 136, 138, 145
islandica, 66, 88, 133, 136, 138, 145
Bufflehead, 66, 138, 145
Bull, Evelyn L., Declines in the breeding population of Vaux's Swifts in northeastern Oregon, 230–234
Bunting, Indigo, 85
Lark, 84
Lazuli, 85, 127
Little, 61
Painted, 30, 37, 85
Snow, 30, 85, 93
Varied, 36
Yellow-breasted, 16
Yellow-throated, 127
Burnett, Ryan, see Richardson, T. W.
Buteo jamaicensis, 66
lagopus, 67
Butorides virescens, 64

Calamospiza melanocorys, 84
Calcarius lapponicus, 30, 85
ornatus, 30, 45–48, 85
pictus, 30
Calidris acuminata, 69
alba, 69
alpina, 69
bairdii, 69
canutus, 69
ferruginea, 16, 23
mauri, 69
melanotos, 69
minutilla, 69
ptilocnemis, 69
pusilla, 69
ruficollis, 23, 60
Callipepla californica, 169–170
Calypte anna, 73, 118
costae, 73
Canvasback, 65
Capitolo, Phil, see Richardson, T. W.
Caracara cheriway, 16
Caracara, Crested, 16
Cardellina rubrifrons, 82
Cardinalis sinuatus, 36–37
Carduelis lawrencei, 87, 257
pinus, 87
psaltria, 87
tristis, 87
Carpodacus cassinii, 87
mexicanus, 87
purpureus, 87
Carrillo Ortiz, José, see Santana C., E.
Catbird, Gray, 28, 78, 126
Cathartes aura, 64, 207
Catharus fuscescens, 78, 90
guttatus, 78
minimus, 78, 90
ustulatus, 78
Catoptrophorus semipalmatus, 68, 118–119, 139, 146
Catreus wallichi, 123
Certhia americana, 77
Ceryle alcyon, 73
Chaetura pelagica, 73, 187, 192, 193, 195, 207, 233
vauxi, 73, 206, 222, 225–234
Charadrius alexandrinus, 67, 176
hiaticula, 22, 60
leschenaultii, 15, 21–22, 23, 39
mongolus, 21
montanus, 22
morinellus, 22, 24, 68
semipalmatus, 67
vociferus, 67, 89, 138, 145
wilsonia, 176
Chat, Yellow-breasted, 82
Chen caerulescens, 64, 138, 142
canagica, 20, 64, 88
rossii, 64
Chondestes grammacus, 83
Chordeiles acutipennis, 72
minor, 72
Chukar, 123

Circus cyaneus, 46, 66
Cistothorus palustris, 77
Clangula hyemalis, 66, 88, 133, 136, 138, 144
Coccothraustes vespertinus, 87
Coccyzus americanus, 72
  erythropthalmus, 72
Colaptes auratus, 74
Colinus virginianus, 123
Collared-Dove, Eurasian, 16
Collins, Charles T., Featured photo: A leucistic Willet in California, 118–119; see also Ryan, T. P.; see also Rudalevige, A. D.
Columba fasciata, 72
  livia, 72, 123
Columbina inca, 171
  passerina, 171
  talpacoti, 25, 171–172
Contopus cooperi, 74
  pertinax, 25, 33, 93
  sordidulus, 42, 74
  virens, 74, 89
Coot, American, 67, 133, 134, 135, 136, 137, 138, 139, 145
Cormorant, Double-crested, 138, 140, 142
Corvus corax, 76, 207
Cowbird, Brown-headed, 45–48, 86, 111–113
  Shiny, 45
Crake, Baillon's, 129
Crane, Demoiselle, 16
Creeper, Brown, 77
Crossbill, Red, 87, 93
Crossoptilon mantchuricum, 123
Crozier, Michelle L., Mark E. Seamans, and R. J. Gutiérrez, Forest owls detected in the central Sierra Nevada, 149–156
Cuckoo, Black-billed, 72
  Yellow-billed, 72
Cummins, Eric B., see Thompson, C. W.
Curlew, Long-billed, 68, 139, 146
Cygnus atratus, 94, 95
  buccinator, 20–21, 32
  columbianus, 65
  cygnus, 21
Cynanthus latirostris, 25
Cypseloides niger, 73, 206, 207, 209–215
  storeri, 173
Davis, Jeff N., and David L. Suddjian, Book review: Monterey Birds, 114–117
Dendrocopos assimilis, 100
  atratus, 100
  canicapillus, 100
  darjellensis, 100
  himalayensis, 100
  hyperythrus, 100
  kizuki, 100
  leucotos, 100, 104
  macei, 100
  maculatus, 100
  mahrattensis, 100
  major, 100, 104, 105
  medius, 100
  minor, 99, 100, 104, 105
  nanus, 100
  syriacus, 100
  temminckii, 100
Dendroica caerulescens, 80, 126
  castanea, 81
  cerulea, 81
  chrysoparia, 81
  coronata, 58, 80
  discolor, 81
  dominica, 29, 81
  fusca, 81
  graciae, 29
  magnolia, 80
  nigrescens, 80
  occidentalis, 81
  palmarum, 81
  pensylvanica, 80, 126
  petechia, 80
  pinus, 29, 81
  striata, 81
  tigrina, 80
  townsendi, 81
  virens, 81
Dendropicos fuscescens, 100
  goertae, 100
  namaquus, 100
  xantholophus, 100
Dickcissel, 85
Dickerman, Robert W., and Page Draper, Featured photo: A January Scarlet Tanager specimen from New Mexico, 53
Dobbs, Robert C., Behavioral notes on some breeding birds in southern Utah, 42–44
Dolichonyx oryzivorus, 85

Dotterel, Eurasian, 22, 24, 68
Dove, Mourning, 72
  Common Ground, 171
  Eurasian Collared, 16
  Inca, 171
  Ringed Turtle, 95
  Rock, 72, 123
  Ruddy Ground, 25, 171–172
  White-winged, 72
Dovekie, 163
Dowitcher, Long-billed, 69
  Short-billed, 69
Draper, Page, see Dickerman, R. W.
Dryocopus pileatus, 231, 232
Duck, Falcated, 16
  Harlequin, 65
  Long-tailed, 66, 88, 133, 136, 138, 144
  Mandarin, 123
  Ring-necked, 65, 138, 143–144
  Ruddy, 66, 138, 145
  Wood, 65, 136, 138, 142, 144
Dumetella carolinensis, 28, 78, 126
Dunlin, 69

Eagle, Bald, 66
  Golden, 67
Egret, Cattle, 64, 138, 142
  Great, 64, 138, 142
  Little, 124
  Reddish, 15, 16, 19–20, 21
  Snowy, 64, 138, 142
Egretta caerulea, 133, 136, 138, 142
  garzetta, 124, 142
  rufescens, 15, 16, 19–20, 21
  thula, 64, 138
  tricolor, 19
Elanus leucurus, 66
Emberiza aureola, 16
  elegans, 127
  pusilla, 61
Empidonax alnorum, 33, 74
  difficilis/occidentalis, 75
  flaviventris, 25, 26, 74, 89
  hammondii, 74
  minimus, 74
  oberholseri, 42, 74
  traillii, 33, 74, 125
  wrightii, 74
Eremophila alpestris, 76
Euphagus carolinus, 86
  cyanocephalus, 86

Falco columbarius, 67
  mexicanus, 67
  peregrinus, 58, 67, 89, 207
  sparverius, 67, 89
Falcon, Peregrine, 58, 67, 89, 207
  Prairie, 67
Finch, Cassin's, 87
  House, 87
  Purple, 87
Flamingo, American, 123
Flicker, Northern, 74
Flycatcher, Alder, 33, 74
  Ash-throated, 75, 129
  Brown-crested, 75
  Dusky, 42, 74
  Dusky-capped, 25, 33
  Gray, 74
  Great Crested, 25, 75, 89
  Hammond's, 74
  Least, 74
  Olive-sided, 74
  Scissor-tailed, 75
  Spotted, 125–126
  Western, 75
  Willow, 33, 74, 125
  Yellow-bellied, 25, 26, 74, 89
Fratercula corniculata, 71
Fregata magnificens, 63, 88
  minor, 63, 88
Frigatebird, Great, 63, 88
  Magnificent, 63, 88
Fulica americana, 67, 133, 134, 135, 136, 137, 138, 139, 145
Fulmar, Northern, 61, 62
Fulmarus glacialis, 61, 62

Gadwall, 65, 136, 138, 142
Gaede, Peter, Featured photo: Diet and feeding activity at a Flammulated Owl nest in Idaho, 183–183
Gallinago delicata, 69, 127–128
  gallinago, 127–128
Gallinula chloropus, 67
Garrett, Kimball L., Book review: Wrens, Dippers and Thrashers, 49–50, and John C. Wilson, Report of the California Bird Records Committee: 2001 records, 15–41
Gavia adamsii, 32, 62, 133, 135, 136, 138, 141
  arctica, 38
  immer, 62, 135, 138, 141
  pacifica, 58, 62, 133, 135, 136, 138, 140, 141
  stellata, 62
Geothlypis trichas, 82, 92

Gibson, Daniel D., Steven C. Heinl, and Theodore G. Tobish, Jr., Report of the Alaska Checklist Committee, 1997–2002, 122–132
Glaucidium gnoma, 149, 151, 152, 153, 154
Gnatcatcher, Blue-gray, 78
Godwit, Bar-tailed, 68
Marbled, 68, 139, 146
Goldeneye, Barrow's, 66, 88, 133, 136, 138, 145
Common, 66, 88, 136, 138, 145
Golden-Plover, American, 67, 89
European, 124
Pacific, 67, 89
Goldfinch, American, 87
Lawrence's, 87, 257
Lesser, 87
González-Bernal, Marco Antonio, Xicoténcatl Vega, and Eric Mellink, Nesting of Western Gulls in Bahía de Santa María–La Reforma, Sinaloa, Mexico, 175–177
Goose, Canada, 64, 138, 142
Emperor, 20, 64, 88
Greater White-fronted, 64
Red-breasted, 123
Ross', 64
Snow, 64, 138, 142
Grackle, Common, 32, 35, 61
Great-tailed, 61
Grantham, Jesse, see Airola, D. A.
Grebe, Clark's, 62, 136, 138, 140, 141
Eared, 61, 62, 123, 138, 141
Horned, 62, 138, 141
Pied-billed, 62, 138, 141
Red-necked, 61, 62, 133, 136, 138, 141
Western, 62, 133, 135, 136, 137, 138, 141
Greenshank, Common, 15, 23
Grosbeak, Black-headed, 85
Blue, 85
Evening, 87
Rose-breasted, 85, 127
Ground-Dove, Common, 171
Ruddy, 25, 171–172
Gull, Bonaparte's, 58, 70, 139, 146
California, 70, 139, 146
Franklin's, 70, 139, 146
Glaucous, 71, 89
Glaucous-winged, 58, 71, 89
Heermann's, 58, 70, 118, 176
Herring, 71, 89, 133, 136, 139, 146
Laughing, 70, 175, 176
Lesser Black-backed, 24
Little, 24, 33, 124–125
Mew, 33, 70, 139, 146
Ring-billed, 70, 136, 139, 146
Sabine's, 58, 71, 139
Slaty-backed, 16
Thayer's, 71, 89
Western, 175–177
Yellow-footed, 137, 175, 176
Gutiérrez, R. J., see Crozier, M. L.

Haematopus bachmani, 22–23, 32
palliatus, 22–23, 32, 176
Haliaeetus leucocephalus, 66
Hanson, Janet T., see Rintoul, C.
Harrier, Northern, 46, 66
Hawk, Cooper's, 66, 207
Harris's, 36
Red-tailed, 66
Rough-legged, 67
Sharp-shinned, 66
Heinl, Steven C., see Gibson, D. D.
Helmitheros vermivorus, 29, 81
Heron, Black-crowned Night, 20, 64, 138, 142
Gray, 129
Great Blue, 64, 88, 138, 142
Green, 64
Little Blue, 133, 136, 138, 142
Tricolored, 19
Yellow-crowned Night, 20
Heteroscelus brevipes, 33, 60
incanus, 33, 68
Himantopus mexicanus, 2–14, 68
Hirundo rustica, 77, 194
Histrionicus histrionicus, 65
Howell, Steve N. G., Book review: Sibley's Birding Basics, 51–52; Book review: Pipits and Wagtails, 254–255
Hoyer, Richard C., Book review: Birds of Oregon: A General Reference, 178–181
Hummingbird, Allen's, 73, 89
Anna's, 73, 118
Black-chinned, 73
Broad-billed, 25
Calliope, 73
Costa's, 73
Ruby-throated, 73
Rufous, 73, 89

Hunter, John E., and M. J. Mazurek, Characteristics of trees used by nesting and roosting Vaux's Swifts in northwestern California, 225–229

Ibis, Glossy, 15, 16, 20, 22, 32, 39
White-faced, 20, 64, 138, 142
Icteria virens, 82
Icterus abeillei, 15, 16, 37–38
bullockii, 37–38, 86
cucullatus, 86
galbula, 86
parisorum, 86, 93, 94
spurius, 86, 127
Ictinia mississippiensis, 21
Iliff, Marshall J., Featured photo: A vagrant Bell's Sparrow in Baja California Sur, 256–259
Ixoreus naevius, 78

Jaeger, Long-tailed, 70
Parasitic, 70, 139
Pomarine, 70
Jay, Western Scrub, 112, 258
Johnson, Richard E., see Thompson, C. W.
Junco, Dark-eyed, 58, 85, 93
Junco hyemalis, 58, 85, 93

Kestrel, American, 67, 89
Killdeer, 67, 89, 138, 145
Kingbird, Cassin's, 75
Eastern, 75
Thick-billed, 25, 27, 60
Tropical, 75, 89
Western, 75
Kingfisher, Belted, 73
Kinglet, Golden-crowned, 77
Ruby-crowned, 58, 77
Kite, Mississippi, 21
White-tailed, 66
Kittiwake, Black-legged, 33, 58, 71
Red-legged, 15, 16, 24, 33
Knot, Red, 69
Krakauer, Alan H., California Quail lays egg in Wild Turkey nest, 169–170

Lanius cristatus, 75, 90
excubitor, 75
ludovicianus, 75
Lark, Horned, 76
Larus argentatus, 71, 89, 133, 136, 139, 146
atricilla, 70, 175, 176
californicus, 70, 139, 146
canus, 33, 70, 139, 146
delawarensis, 70, 136, 139, 146
fuscus, 24
glaucescens, 58, 71, 89
heermanni, 58, 70, 118, 176
hyperboreus, 71, 89
livens, 137, 175, 176
minutus, 24, 33, 124–125
occidentalis, 175–177
philadelphia, 58, 70, 139, 146
pipixcan, 70, 139, 146
schistisagus, 16
thayeri, 71, 89
Laterallus jamaicensis, 60–61
Limnodromus griseus, 69
scolopaceus, 69
Limosa fedoa, 68, 139, 146
lapponica, 68
Locustella lanceolata, 77, 90
Longspur, Chestnut-collared, 30, 45–48, 85
Lapland, 30, 85
Smith's, 30
Loon, Arctic, 38
Common, 62, 135, 138, 141
Pacific, 58, 62, 133, 135, 136, 138, 140, 141
Red-throated, 62
Yellow-billed, 32, 62, 133, 135, 136, 138, 141
Lophodytes cucullatus, 133, 136, 138, 145
Lophura leucomelanos, 123
Loxia curvirostra, 87, 93
Lukas, David, Book review: Raptors of Western North America; Raptors of Eastern North America, 252–253
Luscinia sibilans, 129

Mallard, 65, 138, 142
Marín, Manuel, Molt, plumage, body mass, and morphometrics of a population of the White-throated Swift in southern California, 216–224
Martin, Purple, 76, 235–251
Mazurek, M. J., see Hunter, J. E.
McCaskie, Guy, Ruddy Ground-Dove breeding in California, 171–172
Meadowlark, Eastern, 60
Western, 86
Melanerpes formicivorus, 73
lewis, 73

Melanitta fusca, 66
nigra, 66
perspicillata, 65, 88, 133, 136, 138, 144
Meleagris gallopavo, 169–170
Mellink, Eric, see González-Bernal, M. A.
Melospiza georgiana, 84
lincolnii, 84, 93
melodia, 84, 91, 93
Merganser, Common, 138, 145
Hooded, 133, 136, 138, 145
Red-breasted, 66, 88, 133, 136, 138, 145
Mergus merganser, 138, 145
serrator, 66, 88, 133, 136, 138, 145
Merlin, 67
Mimus polyglottos, 78
Mniotilta varia, 81
Mockingbird, Northern, 78
Molothrus ater, 45–48, 86, 111–113
bonariensis, 45
Moorhen, Common, 67
Motacilla alba, 79, 128
flava, 79
lugens, 128
Murre, Thick-billed, 71, 89
Murrelet, Ancient, 71, 89, 163
Craveri's, 71
Kittlitz's, 161
Long-billed, 24, 128, 157–168
Marbled, 24, 71, 128, 157–163
Xantus', 71
Muscicapa striata, 125–126
Myadestes townsendi, 78, 90, 258
Myiarchus cinerascens, 75, 129
crinitus, 25, 75, 89
tuberculifer, 25, 33
tyrannulus, 75
Myna, White-vented, 123

Nandayus nenday, 95
Nighthawk, Common, 72
Lesser, 72
Night-Heron, Black-crowned, 20, 64, 138, 142
Yellow-crowned, 20
Nucifraga columbiana, 76, 196
Numenius americanus, 68, 139, 146
phaeopus, 68
Nutcracker, Clark's, 76, 196
Nuthatch, Pygmy, 77
Red-breasted, 77
White-breasted, 77, 258
Nyctanassa violacea, 20
Nycticorax nycticorax, 20, 64, 138, 142

Oceanodroma furcata, 63
melania, 63
Oenanthe oenanthe, 27, 28, 78
Oporornis agilis, 29, 31, 36, 82
formosus, 82
philadelphia, 29, 31, 36, 82
tolmiei, 29, 82
Oreortyx pictus, 169
Oreoscoptes montanus, 79
Oriole, Baltimore, 86
Black-backed, 15, 16, 37–38
Bullock's, 37–38, 86
Hooded, 86
Orchard, 86, 127
Scott's, 86, 93, 94
Osprey, 66, 176
Otus flammeolus, 149, 151, 152, 153, 154, 182–183
kennicottii, 149, 152
Ovenbird, 82
Owl, Barn, 72
Barred, 149, 152, 153
Burrowing, 72
Flammulated, 149, 151, 152, 153, 154, 183–183
Great Gray, 149, 152
Great Horned, 72, 149, 151, 152, 153, 154
Long-eared, 72, 89, 149, 151, 152
Northern Pygmy, 149, 151, 152, 153, 154
Northern Saw-whet, 72, 149, 151, 152, 153
Short-eared, 46, 72
Spotted, 149, 150, 151, 152, 153
Western Screech, 149, 152
Oxyura jamaicensis, 66, 138, 145
Oystercatcher, American, 22–23, 32, 176
Black, 22–23, 32

Page, Gary W., see Rintoul, C.
Pandion haliaetus, 66, 176
Parabuteo unicinctus, 36
Parakeet, Black-hooded, 95
Parula americana, 80
Parula, Northern, 80
Passer domesticus, 87, 93, 235, 243, 245, 250
Passerculus sandwichensis, 58, 84, 92–93

Passerella iliaca, 84, 258
Passerina amoena, 85, 127
  caerulea, 85
  ciris, 32, 37, 85
  cyanea, 85
  versicolor, 36
Pelecanus erythrorhynchos, 133, 136, 138, 141
  occidentalis, 58, 60, 63, 88, 123
Pelican, American White, 133, 136, 138, 141
  Brown, 58, 60, 63, 88, 123
Penguin, Humboldt, 123
Petrel, Black-capped, 16
  Black Storm, 63
  Cook's, 93
  Dark-rumped, 15, 16, 18, 93
  Fork-tailed Storm, 63
  Galapagos, 15, 16, 18
  Hawaiian, 15, 16, 18
  Murphy's, 63
Petrochelidon pyrrhonota, 77
Peucedramus taeniatus, 60
Pewee, Greater, 25, 33, 93
  Eastern Wood, 74, 89
  Western Wood, 42, 74
Phaethon rubricauda, 32, 63
Phalacrocorax auritus, 138, 140, 142
Phalaenoptilus nuttallii, 72
Phalarope, Red, 58, 70
  Red-necked, 58, 70, 139
  Wilson's, 70, 139
Phalaropus fulicarius, 58
  lobatus, 58, 139
  tricolor, 70, 139
Phaps chalcoptera, 123
Philomachus pugnax, 69
Phainopepla, 79
Phainopepla nitens, 79
Phasianus colchicus, 123, 169
Pheasant, Brown Eared, 123
  Cheer, 123
  Kalij, 123
  Reeves', 123
  Ring-necked, 123, 169
Pheucticus ludovicianus, 85, 127
  melanocephalus, 85
Phoebastria albatrus, 60
  immutabilis, 62
  nigripes, 61, 62
Phoebe, Black, 75, 125
  Eastern, 75
  Say's, 75, 89
Phoenicopterus ruber, 123
Phylloscopus fuscatus, 78
  inornatus, 125
  trochilus, 125
Picoides albolarvatus, 97, 100, 101, 103, 105
  arcticus, 97, 99, 100, 101, 102
  arizonae, 97, 100, 105
  borealis, 97, 100, 103, 105
  lignarius, 97, 100, 104, 105
  mixtus, 97, 98, 103, 104, 105
  nuttallii, 97, 100, 104, 105
  pubescens, 97, 100, 101, 102, 103, 104, 105
  scalaris, 97, 100, 103, 104, 105
  stricklandi, 97, 100, 103, 105
  tridactylus, 97, 99, 100, 101, 102
  villosus, 97, 100, 102, 103, 105
Pigeon, Band-tailed, 72
  Rock, 72, 123
Pintail, Northern, 65, 138, 143
Pipilo chlorurus, 83
  maculatus, 83, 92, 169, 258
Pipit, American, 58, 79, 90
  Olive-backed, 79, 90
  Red-throated, 79
  Sprague's, 79
Piranga flava, 82
  ludoviciana, 83
  olivacea, 15, 16, 29–30, 34, 36, 53, 83
  rubra, 36, 53, 82
Plectrophenax nivalis, 30, 85, 93
Plegadis chihi, 20, 64, 138, 142
  falcinellus, 15, 16, 20, 22, 32, 39
Plover, American Golden, 67, 89
  European, 124
  Black-bellied, 67
  Common Ringed, 22, 60
  Greater Sand, 15, 21–22, 23, 39
  Mongolian, 21
  Mountain, 22
  Pacific Golden, 67, 89
  Semipalmated, 67
  Snowy, 67, 176
  Wilson's, 176
Pluvialis apricaria, 124
  dominica, 67, 89
  fulva, 67, 89
  squatarola, 67
Podiceps auritus, 62, 138, 141
  grisegena, 61, 62, 133, 136, 138, 141
  nigricollis, 61, 62, 123, 138, 141
Podilymbus podiceps, 62, 138, 141

Polioptila caerulea, 78
Pooecetes gramineus, 83
Poorwill, Common, 72
Porzana carolina, 67
  pusilla, 129
Progne subis, 76, 235–251
Protonotaria citrea, 81, 111
Pterodroma cookii, 93
  hasitata, 16
  phaeopygia, 15, 16, 18, 93
  sandwichensis, 15, 16, 18
  ultima, 63
Puffin, Horned, 71
Puffinus assimilis, 129
  bulleri, 58, 63, 123–124
  carneipes, 63
  creatopus, 63, 123, 124
  gravis, 15, 16, 18, 123
  griseus, 32, 58, 61, 63
  opisthomelas, 58, 63
  puffinus, 18–19, 32, 61, 63
  tenuirostris, 63
Pullen, Kevin J., see Thompson, C. W.
Pygmy-Owl, Northern, 149, 151, 152, 153, 154
Pyle, Peter, see Richardson, T. W.
Pyrrhuloxia, 36–37

Quail, California, 169–170
  Mountain, 169
Quiscalus mexicanus, 61
  quiscula, 32, 35, 61

Rail, Black, 60–61
  Clapper, 61
  Virginia, 67
Rallus limicola, 67
  longirostris, 61
Raven, Common, 76, 207
Recurvirostra americana, 2–14, 68, 139, 145–146
Redhead, 136, 138, 143
Redstart, American, 81
Regulus calendula, 58, 77
  satrapa, 77
Richardson, T. Will, Peter Pyle, Ryan Burnett, and Phil Capitolo, The occurrence and seasonal distribution of migratory birds on Southeast Farallon Island, 1968–1999, 58–96
Rintoul, Chris, Nils Warnock, Gary W. Page, and Janet T. Hanson, Breeding status and habitat use of Black-necked Stilts and American Avocets in South San Francisco Bay, 2–14
Riparia riparia, 77
Rissa brevirostris, 15, 16, 24, 33
  tridactyla, 33, 58, 71
Robin, American, 42–43, 78, 90
  Rufous-backed, 28
  Rufous-tailed, 129
Rudalevige, Allison D., Dessie L. A. Underwood, and Charles T. Collins, Diet of breeding White-throated and Black Swifts in southern California, 209–215
Ruff, 69
Ryan, Thomas P., and Charles T. Collins, Activity patterns of White-throated Swifts in California, 186–198; Seasonal population fluctuation of White-throated Swifts at roost sites in southern California, 199–203; Social behavior of White-throated Swifts, 204–208
Rynchops niger, 176

Salpinctes obsoletus, 77, 90
Sanderling, 69
Sandpiper, Baird's, 69
  Buff-breasted, 69
  Curlew, 16, 23
  Least, 69
  Pectoral, 69
  Rock, 69
  Semipalmated, 69
  Sharp-tailed, 69
  Solitary, 68
  Spotted, 68
  Upland, 23, 68
  Western, 69
  Wood, 15, 32–33, 93
Sand-Plover, Greater, 15, 21–22, 23, 39
Santana C., Eduardo, Carrillo Ortiz, José, and Aragón Cruz, Alfredo, Extension of the northernmost breeding range of the White-collared Swift in western Mexico, 173–174
Sapsucker, Red-breasted, 74
  Red-naped, 73
  Yellow-bellied, 73
Sayornis nigricans, 75, 125
  phoebe, 75
  saya, 75, 89

Scaup, Greater, 65, 133, 136, 138, 144
Lesser, 65, 138, 144
Scoter, Black, 66
Surf, 65, 88, 133, 136, 138, 144
White-winged, 66
Screech-Owl, Western, 149, 152
Scrub-Jay, Western, 112, 258
Seamans, Mark E., see Crozier, M. L.
Seiurus aurocapillus, 82
motacilla, 82
noveboracensis, 82, 108–110
Selasphorus rufus, 73, 89
sasin, 73, 89
Setophaga ruticilla, 81
Shearwater, Black-vented, 58, 63
Buller's 58, 63, 123–124
Flesh-footed, 63
Greater, 15, 16, 18,m 123
Little, 129
Manx, 18–19, 32, 61, 63
Pink-footed, 63, 123, 124
Short-tailed, 63
Sooty, 32, 58, 61, 63
Shoveler, Northern, 65, 138, 143
Shrike, Brown, 75, 90
Loggerhead, 75
Northern, 75
Sialia currucoides, 78, 111
mexicana, 78, 111–113, 258
sialis, 111
Siskin, Pine, 87
Sitta canadensis, 77
carolinensis, 77, 258
pygmaea, 77
Skimmer, Black, 176
Skua, South Polar, 70
Snipe, Wilson's, 69
Solitaire, Townsend's, 78, 90, 258
Sora, 67
Sparrow, American Tree, 83
Baird's, 84
Black-chinned, 83
Black-throated, 83
Brewer's, 43, 83, 92
Cassin's, 16, 30, 34, 83
Chipping, 43, 83, 92
Clay-colored, 83, 92
Field, 83
Fox, 84, 258
Golden-crowned, 58, 85, 258
Grasshopper, 84
Harris', 84
House, 87, 93, 235, 243, 245, 250
Lark, 83
Le Conte's, 84, 93
Lincoln's, 84, 93
Nelson's Sharp-tailed, 84
Rufous-crowned, 83
Sage, 84, 256–259
Savannah, 58, 84, 92–93
Song, 84, 91, 93
Swamp, 84
Vesper, 83
White-crowned, 58, 84, 85, 93, 169
White-throated, 84
Spence, John R., and Benny R. Bobowski, 1994–1997 Water bird surveys of Lake Powell, a large oligotrophic reservoir on the Colorado River, Utah and Arizona, 133–148
Spheniscus humboldti, 123
Sphyrapicus nuchalis, 73, 100
ruber, 74, 100
thyroideus, 100
varius, 73, 100
Spiza americana, 85
Spizella arborea, 83
atrogularis, 83
breweri, 43, 83, 92
pallida, 83, 92
passerina, 43, 83, 92
pusilla, 83
Starling, European, 58, 79, 90, 235, 241, 243, 245, 246, 247, 248, 249, 250
Stelgidopteryx serripennis, 77, 90, 245
Stellula calliope, 73
Stercorarius longicaudus, 70
maccormicki, 70
parasiticus, 70, 139
pomarinus, 70
Sterna caspia, 71
elegans, 58, 71
forsteri, 71, 129, 139, 146
fuscata, 24, 25, 125
hirundo, 71
maxima, 176
nilotica, 176
paradisaea, 58, 71
Stilt, Black-necked, 2–14, 68
Stint, Red-necked, 23, 60
Storm-Petrel, Black, 63
Fork-tailed, 63
Streptopelia decaocto, 16
risoria, 95
Streptoprocne zonaris, 173–174

Strix nebulosa, 149, 152
occidentalis, 149, 150, 151, 152, 153
varia, 149, 152, 153
Sturnella magna, 60
neglecta, 86
Sturnus vulgaris, 58, 79, 90, 235, 241, 243, 245, 246, 247, 248, 249, 250
Suddjian, David L., see Davis, J. N.
Sula dactylatra, 15, 19, 63
granti, 15, 16, 19, 36, 37, 39
leucogaster, 19, 58, 61, 63, 123
nebouxii, 176
sula, 63, 123
Surfbird, 69
Swallow, Bank, 77
Barn, 77, 194
Cliff, 77
Northern Rough-winged, 77, 90, 245
Tree, 76, 90
Violet-green, 77, 90
Swan, Black, 94, 95
Trumpeter, 20–21, 32
Tundra, 65
Whooper, 21
Swift, Alpine, 187, 192, 213
Black, 73, 206, 207, 209–215
Chimney, 73, 187, 192, 193, 195, 207, 233
Common, 187, 192, 193, 195, 207, 233
Horus, 213
Little, 187, 192, 193, 207, 222–233
Vaux's, 73, 206, 222, 225–234
White-collared, 173–174
White-fronted, 173
White-throated, 73, 186–224, 245
White-tipped, 207
Sylvia curruca, 125
Synthliboramphus antiquus, 71, 89, 163
craveri, 71
hypoleucus, 71
Syrmaticus reevesii, 123

Tachycineta bicolor, 76, 90
thalassina, 77, 90
Tanager, Hepatic, 82
Scarlet, 15, 16, 29–30, 34, 36, 53, 83
Summer, 36, 53, 82
Western, 83
Tarsiger cyanurus, 78
Tattler, Gray-tailed, 33, 60
Wandering, 33, 68
Teal, Blue-winged, 65, 138, 142
Cinnamon, 65, 88, 138, 143
Green-winged, 65, 136, 138, 143
Tern, Arctic, 58, 71
Caspian, 71
Common, 71
Elegant, 58, 71
Forster's, 71, 129, 139, 146
Gull-billed, 176
Royal, 176
Sooty, 24, 25, 125
Thalassarche cauta, 18, 19, 38
Thompson, Christopher W., Kevin J. Pullen, Richard E. Johnson, and Eric B. Cummins, Specimen record of a Long-billed Murrelet from eastern Washington, with notes on plumage and morphometric differences between Long-billed and Marbled Murrelets, 157–168
Thrasher, Bendire's, 35, 79
Brown, 79
Curve-billed, 35
Le Conte's, 35
Sage, 79
Thrush, Eyebrowed, 15, 28
Gray-cheeked, 78, 90
Hermit, 78
Swainson's, 78
Varied, 78
Thryomanes bewickii, 77
Tobish, Theodore G., Jr., see Gibson, D. D.
Towhee, Green-tailed, 83
Spotted, 82, 92, 169, 258
Toxostoma bendirei, 35, 79
curvirostre, 35
lecontei, 35
rufum, 79
Tringa flavipes, 33, 68, 139, 146
glareola, 15, 32–33, 93
melanoleuca, 68, 139, 146
nebularia, 15, 23
solitaria, 68
Troglodytes aedon, 77
troglodytes, 77
Tropicbird, Red-tailed, 32, 63
Truan, Melanie Allen, The Western Bluebird as host for the Brown-headed Cowbird: A new record from California, 111–113
Tryngites subruficollis, 69

Turdus migratorius, 42–43, 78, 90
obscurus, 15, 28
rufopalliatus, 28
Turkey, Wild, 169–170
Turnstone, Black, 69
Ruddy, 68
Turtle-Dove, Ringed, 95
Tyrannus crassirostris, 25, 27, 60
forficatus, 75
melancholicus, 75, 89
tyrannus, 75
verticalis, 75
vociferans, 75
Tyto alba, 72

Underwood, Dessie L. A., see Rudalevige, A. D.
Uria lomvia, 67, 89

Veery, 78, 90
Vega, Xicoténcatl, see González-Bernal, M. A.
Vermivora celata, 80, 90, 92
chrysoptera, 28–29, 30, 35, 79
luciae, 80
peregrina, 79
pinus, 28–29, 30, 35, 79
ruficapilla, 80
virginiae, 80
Vireo, Bell's, 75, 90, 91
Blue-headed, 26, 28, 33, 35, 76, 90
Cassin's, 33, 35, 76, 128
Hutton's, 76, 90
Philadelphia, 76
Plumbeous, 76
Red-eyed, 76
Warbling, 76
White-eyed, 27, 38, 75
Yellow-green, 28, 76
Yellow-throated, 16, 27–28, 76
Vireo bellii, 75, 90, 91
cassinii, 76, 128
flavifrons, 16, 27–28, 76
flavoviridis, 28, 76
griseus, 27, 38, 75
huttoni, 76, 90
gilvus, 76
olivaceus, 76
philadelphicus, 76
plumbeus, 76
solitarius, 26, 28, 76, 90
Vulture, Turkey, 64, 207

Wagtail, Black-backed, 128
White, 79, 128
Yellow, 79
Warnock, Nils, see Rintoul, C.
Warbler, Bay-breasted, 81, 92
Black-and-white, 81
Blackburnian, 81
Blackpoll, 81, 92
Black-throated Blue, 80, 126
Black-throated Gray, 80
Black-throated Green, 81
Blue-winged, 28–29, 30, 35, 79
Brewster's, 79
Canada, 82
Cape May, 80
Cerulean, 81
Chestnut-sided, 80, 126
Connecticut, 29, 31, 36, 82, 92
Dusky, 78
Golden-cheeked, 81
Golden-winged, 28–29, 30, 35, 79
Grace's, 29
Hermit, 81, 92
Hooded, 82
Kentucky, 82, 92
Lanceolated, 77, 90
Lucy's, 80
MacGillivray's, 29, 82
Magnolia, 80
Mourning, 29, 31, 36, 82, 92
Nashville, 80
Olive, 60
Orange-crowned, 80, 90, 92
Palm, 81, 92
Pine, 29, 81, 92
Prairie, 81
Prothonotary, 81, 111
Red-faced, 82
Tennessee, 79
Townsend's, 81
Virginia's, 80
Willow, 125
Wilson's, 58, 82
Worm-eating, 29, 81, 92
Yellow, 80
Yellow-browed, 125
Yellow-rumped, 58, 80, 92
Yellow-throated, 29, 81, 92
Waterthrush, Louisiana, 82
Northern, 82, 108–110
Waxwing, Bohemian, 79
Cedar, 79
Weaver, Cutthroat, 95
Wheatear, Northern, 27, 28, 78
Whimbrel, 68

Whitethroat, Lesser, 125
Wigeon, American, 65, 138, 142
  Eurasian, 65
Willet, 68, 118–119, 139, 146
Wilsonia canadensis, 82
  citrina, 82
  pusilla, 58, 82
Woodpecker, Acorn, 73
  Arizona, 97, 100, 105
  Bearded, 100
  Black-backed, 97, 99, 100, 101, 102
  Brown-capped, 100
  Cardinal, 100
  Checkered, 97, 98, 103, 104, 105
  Darjeeling, 100
  Downy, 97, 100, 101, 102, 103, 104, 105
  Fulvous-breasted, 100
  Golden-crowned, 100
  Gray, 100
  Gray-capped, 100
  Great Spotted, 100, 104, 105
  Hairy, 97, 100, 102, 103, 105
  Himalayan, 100
  Ladder-backed, 97, 100, 103, 104, 105
  Lesser Spotted, 99, 100, 104, 105
  Lewis', 73
  Middle Spotted, 100
  Nuttall's, 97, 100, 104, 105
  Philippine, 100
  Pileated, 231, 232
  Pygmy, 100
  Red-cockaded, 97, 100, 103, 105
  Rufous-bellied, 100
  Sind, 100
  Strickland's, 97, 100, 103, 105
  Stripe-breasted, 100
  Striped, 97, 100, 104, 105
  Sulawesi, 100
  Syrian, 100
  Three-toed, 97, 99, 100, 101, 102
  White-backed, 100, 104
  White-headed, 97, 100, 101, 103, 105
  Yellow-crowned, 100
Wood-Pewee, Eastern, 74, 89
  Western, 42, 74
Wren, Bewick's, 77
  House, 77
  Marsh, 77
  Rock, 77, 90
  Winter, 77

Xanthocephalus xanthocephalus, 86
Xema sabini, 58, 71, 139

Yellowlegs, Greater, 68, 139, 146
  Lesser, 33, 68, 139, 146
Yellowthroat, Common, 82, 92

Zenaida asiatica, 72
  macroura, 72
Zonotrichia albicollis, 84
  atricapilla, 58, 85, 258
  leucophrys, 58, 84, 85, 93, 169
  querula, 84